Table 6. Results of Pesticide and PCB Analyses for Waters from the Miami River Collected October 12, 1999 (all data reported as ug/L) (Page 1 of 5)
Note: Samples 1 through 12 collected hourly from 0800 to 1900 hours

	E-MR99W-1-1	E-MR99W-1-2	E-MR99W-1-3	E-MR99W-1-3 DUP	E-MR99W-1-4	E-MR99W-1-5	E-MR99W-1-6	E-MR99W-1-7	E-MR99W-1-8	E-MR99W-1-9	E-MR99W-1-10	E-MR99W-1-11	E-MR99W-1-12
	174106	174107	174108	174109	174110	174111	174112	174113	174114	174115	174116	174117	174118
	STATION 1												
Aldrin	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007
alpha-BHC	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007
beta-BHC	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008
delta-BHC	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
gamma-BHC (Lindane)	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Chlordane	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013
4,4'-DDD	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
4,4'-DDE	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007
4,4'-DDT	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Dieldrin	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006
Endosulfan I	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006
Endosulfan II	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
Endosulfan sulfate	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
Endrin	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Endrin aldehyde	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
Heptachlor	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008
Heptachlor epoxide	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Methoxychlor	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Toxaphene	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070
PCB-1016	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16
PCB-1221	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060
PCB-1232	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23
PCB-1242	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
PCB-1248	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17
PCB-1254	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070
PCB-1260	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10

PPB Environmental Laboratories, Inc.
6821 SW Archer Road
Gainesville, FL 32608

Table 6. Results of Pesticide and PCB Analyses for Waters from the Miami River Collected October 12, 1999 (all data reported as ug/L) (Page 2 of 5)
Note: Samples 1 through 12 collected hourly from 0800 to 1900 hours

	E-MR99W-2-1	E-MR99W-2-2	E-MR99W-2-3	E-MR99W-2-3DUP	E-MR99W-2-4	E-MR99W-2-5	E-MR99W-2-6	E-MR99W-2-7	E-MR99W-2-8	E-MR99W-2-9	E-MR99W-2-10	E-MR99W-2-11	E-MR99W-2-12
	174119	174120	174121	174122	174123	174124	174125	174126	174127	174128	174129	174130	174131
	STATION 2												
Aldrin	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007
alpha-BHC	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007
beta-BHC	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008
delta-BHC	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
gamma-BHC (Lindane)	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Chlordane	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013
4,4'-DDD	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
4,4'-DDE	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007
4,4'-DDT	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Dieldrin	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006
Endosulfan I	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006
Endosulfan II	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
Endosulfan sulfate	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
Endrin	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Endrin aldehyde	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
Heptachlor	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008
Heptachlor epoxide	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Methoxychlor	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Toxaphene	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070
PCB-1016	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16
PCB-1221	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060
PCB-1232	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23
PCB-1242	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
PCB-1248	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17
PCB-1254	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070
PCB-1260	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10

PPB Environmental Laboratories, Inc.
6821 SW Archer Road
Gainesville, FL 32608

Table 6. Results of Pesticide and PCB Analyses for Waters from the Miami River Collected October 12, 1999 (all data reported as ug/L) (Page 3 of 5)
Note: Samples 1 through 12 collected hourly from 0800 to 1900 hours

	E-MR99W-3-1	E-MR99W-3-2	E-MR99W-3-3	E-MR99W-3-3DUP	E-MR99W-3-4	E-MR99W-3-5	E-MR99W-3-6	E-MR99W-3-7	E-MR99W-3-8	E-MR99W-3-9	E-MR99W-3-10	E-MR99W-3-11	E-MR99W-3-12
	174132	174133	174134	174135	174136	174137	174138	174139	174140	174141	174142	174143	174144
	STATION 3												
Aldrin	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007
alpha-BHC	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007
beta-BHC	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008
delta-BHC	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
gamma-BHC (Lindane)	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Chlordane	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013
4,4'-DDD	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
4,4'-DDE	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007
4,4'-DDT	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Dieldrin	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006
Endosulfan I	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006
Endosulfan II	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
Endosulfan sulfate	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
Endrin	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Endrin aldehyde	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
Heptachlor	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008
Heptachlor epoxide	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Methoxychlor	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Toxaphene	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070
PCB-1016	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16
PCB-1221	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060
PCB-1232	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23
PCB-1242	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
PCB-1248	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17
PCB-1254	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070
PCB-1260	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10

PPB Environmental Laboratories, Inc.
6821 SW Archer Road
Gainesville, FL 32608

Table 6. Results of Pesticide and PCB Analyses for Waters from the Miami River Collected October 12, 1999 (all data reported as ug/L) (Page 4 of 5)
Note: Samples 1 through 12 collected hourly from 0800 to 1900 hours

	E-MR99W-4-1	E-MR99W-4-2	E-MR99W-4-3	E-MR99W-4-3DUP	E-MR99W-4-4	E-MR99W-4-5	E-MR99W-4-6	E-MR99W-4-7	E-MR99W-4-8	E-MR99W-4-9	E-MR99W-4-10	E-MR99W-4-11	E-MR99W-4-12
	174145	174146	174147	174148	174149	174150	174151	174152	174153	174154	174155	174156	174157
	STATON 4												
Aldrin	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007
alpha-BHC	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007
beta-BHC	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008
delta-BHC	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
gamma-BHC (Lindane)	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Chlordane	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013
4,4'-DDD	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
4,4'-DDE	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007
4,4'-DDT	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Dieldrin	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006
Endosulfan I	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006
Endosulfan II	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
Endosulfan sulfate	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
Endrin	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Endrin aldehyde	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
Heptachlor	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008
Heptachlor epoxide	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Methoxychlor	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Toxaphene	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070
PCB-1016	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16
PCB-1221	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060
PCB-1232	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23
PCB-1242	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
PCB-1248	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17
PCB-1254	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070
PCB-1260	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10

PPM Environmental Laboratories, Inc
6821 SW Archer Road
Gainesville, FL 32608

Table 6. Results of Pesticide and PCB Analyses for Waters from the Miami River Collected October 12, 1999 (all data reported as ug/L) (Page 5 of 5)
Note: Samples 1 through 12 collected hourly from 0800 to 1900 hours

	E-MR99W-5-1	E-MR99W-5-2	E-MR99W-5-3	E-MR99W-5-3 DUP	E-MR99W-5-4	E-MR99W-5-5	E-MR99W-5-6	E-MR99W-5-7	E-MR99W-5-8	E-MR99W-5-9	E-MR99W-5-10	E-MR99W-5-11	E-MR99W-5-12
	174158	174159	174160	174161	174162	174163	174164	174165	174166	174167	174168	174169	174170
	STATION 5												
Aldrin	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007
alpha-BHC	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007
beta-BHC	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008
delta-BHC	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
gamma-BHC (Lindane)	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Chlordane	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013	<0.013
4,4'-DDD	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
4,4'-DDE	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007
4,4'-DDT	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Dieldrin	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006
Endosulfan I	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006
Endosulfan II	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
Endosulfan sulfate	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003
Endrin	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Endrin aldehyde	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
Heptachlor	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008
Heptachlor epoxide	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Methoxychlor	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Toxaphene	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070
PCB-1016	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16
PCB-1221	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060	<0.060
PCB-1232	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23	<0.23
PCB-1242	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
PCB-1248	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17
PCB-1254	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070
PCB-1260	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10

PPB Environmental Laboratories, Inc.
6821 SW Archer Road
Gainesville, FL 32608

Table 7. Results of Metals Analyses for Sediments Collected at the Miami River on October 13 and 14, 1999
[all data reported in µg/g (ppm) or percent and presented on dry and wet weight basis]

Station ID:	E-MR99S-1		E-MR99S-1 Duplicate		E-MR99S-2		E-MR99S-3		E-MR99S-4		E-MR99S-5	
PPB #:	174279		174280		174281		174284		174282		174283	
	Dry	Wet	Dry	Wet	Dry	Wet	Dry	Wet	Dry	Wet	Dry	Wet
Arsenic	9.1	4.5	9.9	4.8	13.1	5.8	5.8	2.5	5.6	2.3	1.6	1.0
Barium	64.1	32.0	54.8	26.8	202	88.9	21.8	9.3	35.1	15.6	50.0	30.2
Cadmium	2.8	1.4	2.4	1.2	4.3	1.9	2.0	0.8	2.4	1.1	0.7	0.4
Chromium	41.4	20.7	43.7	21.4	62.7	27.6	33.6	14.3	32.6	14.5	18.1	10.9
Lead	135	66.2	138	67.5	288	128	97.9	41.6	123	54.8	156	94.2
Mercury	2.32	1.16	3.21	1.57	3.02	1.33	1.96	0.83	2.42	1.08	0.20	0.12
Selenium	<0.2	<0.1	<0.2	<0.1	0.8	0.4	0.9	0.4	<0.2	<0.1	<0.2	<0.1
Silver	2.8	1.4	2.9	1.4	6.0	2.6	4.9	2.1	5.6	2.5	0.3	0.2
Copper	203	102	132	64.5	254	112	67.2	28.6	58.7	26.2	82.1	49.6
Zinc	234	117	236	115	472	208	153	65.0	333	148	155	93.6

Table 8. Results of Pesticide and PCB Analyses for Sediments Collected at the Miami River October 13 and 14, 1999 [all data reported in µg/kg, and presented on dry and wet weight basis]

Station ID:	E-MR99S-1		E-MR99S-1 Duplicate		E-MR99S-2		E-MR99S-3		E-MR99S-4		E-MR99S-5	
PPB #:	174279		174280		174281		174284		174282		174283	
	Dry	Wet	Dry	Wet	Dry	Wet	Dry	Wet	Dry	Wet	Dry	Wet
Aldrin	<9.7	<4.8	<10	<4.9	<11	<4.9	<11	<4.7	<7.6	<3.4	<11	<6.7
alpha-BHC	<9.7	<4.8	<10	<4.9	<11	<4.9	<11	<4.7	<7.6	<3.4	<11	<6.7
beta-BHC	<9.7	<4.8	<10	<4.9	<11	<4.9	<11	<4.7	<7.6	<3.4	<11	<6.7
delta-BHC	<9.7	<4.8	<10	<4.9	<11	<4.9	<11	<4.7	<7.6	<3.4	<11	<6.7
gamma-BHC (Lindane)	<9.7	<4.8	<10	<4.9	<11	<4.9	<11	<4.7	<7.6	<3.4	<11	<6.7
Chlordane	<9.7	<4.8	<10	<4.9	<11	<4.9	<11	<4.7	<7.6	<3.4	<11	<6.7
4,4'-DDD	<9.7	<4.8	<10	<4.9	<11	<4.9	<11	<4.7	<7.6	<3.4	<11	<6.7
4,4'-DDE	<9.7	<4.8	<10	<4.9	<11	<4.9	<11	<4.7	<7.6	<3.4	<11	<6.7
4,4'-DDT	<9.7	<4.8	<10	<4.9	<11	<4.9	<11	<4.7	<7.6	<3.4	<11	<6.7
Dieldrin	<9.7	<4.8	<10	<4.9	<11	<4.9	<11	<4.7	<7.6	<3.4	<11	<6.7
Endosulfan I	<9.7	<4.8	<10	<4.9	<11	<4.9	<11	<4.7	<7.6	<3.4	<11	<6.7
Endosulfan II	<9.7	<4.8	<10	<4.9	<11	<4.9	<11	<4.7	<7.6	<3.4	<11	<6.7
Endosulfan sulfate	<9.7	<4.8	<10	<4.9	<11	<4.9	<11	<4.7	<7.6	<3.4	<11	<6.7
Endrin	<9.7	<4.8	<10	<4.9	<11	<4.9	<11	<4.7	<7.6	<3.4	<11	<6.7
Endrin aldehyde	<9.7	<4.8	<10	<4.9	<11	<4.9	<11	<4.7	<7.6	<3.4	<11	<6.7
Heptachlor	<9.7	<4.8	<10	<4.9	<11	<4.9	<11	<4.7	<7.6	<3.4	<11	<6.7
Heptachlor epoxide	<9.7	<4.8	<10	<4.9	<11	<4.9	<11	<4.7	<7.6	<3.4	<11	<6.7
Methoxychlor	<39	<20	<40	<20	<42	<19	<45	<20	<30	<14	<46	<28
Toxaphene	<97	<48	<100	<49	<106	<47	<112	<48	<76	<34	<114	<69
PCB-1016	<39	<20	<40	<20	<42	<19	<45	<20	<30	<14	<46	<28
PCB-1221	<39	<20	<40	<20	<42	<19	<45	<20	<30	<14	<46	<28
PCB-1232	<39	<20	<40	<20	<42	<19	<45	<20	<30	<14	<46	<28
PCB-1242	<39	<20	<40	<20	<42	<19	<45	<20	<30	<14	<46	<28
PCB-1248	<39	<20	<40	<20	<42	<19	<45	<20	<30	<14	<46	<28
PCB-1254	<39	<20	<40	<20	<42	<19	<45	<20	<30	<14	<46	<28
PCB-1260	<49	<25	<50	<25	<53	<24	<56	<24	<38	<17	<57	<35

Table 9. Results of Polynuclear Aromatic Hydrocarbons Analyses for Sediments Collected at the Miami River on October 13 and 14, 1999 [all data reported in μg/kg (ppb) and presented on dry and wet weight basis]

Station ID:	E-MR99S-1		E-MR99S-1 Duplicate		E-MR99S-2		E-MR99S-3		E-MR99S-4		E-MR99S-5	
PPB #:	174279		174280		174281		174284		174282		174283	
	Dry	Wet	Dry	Wet	Dry	Wet	Dry	Wet	Dry	Wet	Dry	Wet
Acenaphthene	<200	<100	<190	<93	<210	<94	<230	<98	<220	<98	<160	<97
Acenaphthlyene	<200	<100	<190	<93	<210	<94	<230	<98	<220	<98	<160	<97
Anthracene	<200	<100	<190	<93	<210	<94	<230	<98	<220	<98	<160	<97
Benzo(a)anthracene	**300**	**148**	<190	<93	<210	<94	<230	<98	<220	<98	<160	<97
Benzo(a)pyrene	<200	<100	<190	<93	<210	<94	<230	<98	<220	<98	**150**	**91**
Benzo(g,h,i)perylene	<200	<100	<190	<93	<210	<94	<230	<98	<220	<98	<160	<97
Benzo(k)fluoranthene	**400**	**198**	**430**	**210**	**420**	**186**	**430**	**183**	**400**	**178**	**350**	**211**
Benzo(b)fluoranthene	**240**	**119**	**320**	**156**	<210	<94	<230	<98	<220	<98	**270**	**163**
Chrysene	<200	<100	**210**	**103**	<210	<94	<230	<98	<220	<98	**220**	**133**
Dibenzo(a,h)anthracene	**540**	**267**	<190	<93	<210	<94	<230	<98	<220	<98	<160	<97
Fluoranthene	**350**	**173**	**350**	**171**	<210	<94	<230	<98	<220	<98	**300**	**181**
Fluorene	<200	<100	<190	<93	<210	<94	<230	<98	<220	<98	<160	<97
Indeno(1,2,3-cd)pyrene	**550**	**272**	**550**	**269**	**550**	**244**	**590**	**251**	**580**	**258**	**430**	**260**
Naphthalene	<200	<100	<190	<93	<210	<94	<230	<98	<220	<98	<160	<97
Phenanthrene	<200	<100	<190	<93	<210	<94	<230	<98	<220	<98	<160	<97
Pyrene	**330**	**163**	**350**	**171**	<210	<94	<230	<98	<220	<98	**320**	**193**

Table 10. Results of Standard TCLP Testing for Metals Using Sediments Collected at the Miami River on October 13 and 14, 1999 [all data reported in mg/L)

Station ID:	E-MR99S-1	E-MR99S-1 Duplicate	E-MR99S-2	E-MR99S-3	E-MR99S-4	E-MR99S-5	TCLP Regulatory Level
PPB #:	174279	174280	174281	174284	174282	174283	
Arsenic	0.332	0.446	0.253	0.569	0.456	0.605	5.0
Barium	0.306	0.440	0.104	0.176	0.225	0.264	100.0
Cadmium	0.007	0.012	0.012	0.012	0.008	0.016	1.0
Chromium	0.023	0.024	0.020	0.028	0.028	0.040	5.0
Lead	0.348	0.505	0.361	0.605	0.459	1.03	5.0
Selenium	0.138	0.157	0.120	0.265	0.210	0.264	1.0
Silver	0.048	0.055	0.046	0.059	0.058	0.060	5.0
Mercury	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.2

Table 11. Results of Standard TCLP Testing for Pesticides Using Sediments Collected at the Miami River on October 13 and 14, 1999 [all data reported in mg/L)

Station ID:	E-MR99S-1	E-MR99S-1 Duplicate	E-MR99S-2	E-MR99S-3	E-MR99S-4	E-MR99S-5	TCLP Regulatory Level
PPB #:	174279	174280	174281	174284	174282	174283	
Chlordane	<0.000026	<0.000026	<0.000026	<0.000026	<0.000026	<0.000026	0.03
Endrin	<0.0000089	<0.0000089	<0.0000089	<0.0000089	<0.0000089	<0.0000089	0.02
gamma-BHC (Lindane)	<0.0000085	<0.0000085	<0.0000085	<0.0000085	<0.0000085	<0.0000085	0.4
Heptachlor	<0.000016	<0.000016	<0.000016	<0.000016	<0.000016	<0.000016	0.008
Methoxychlor	<0.0000037	<0.0000037	<0.0000037	<0.0000037	<0.0000037	<0.0000037	10.0
Toxaphene	<0.00014	<0.00014	<0.00014	<0.00014	<0.00014	<0.00014	0.5